



GET THE INSIDE SCOOP ON TREATMENT

Doptelet[®]
(avatrombopag) tablets



Doptelet[®]
(avatrombopag) tablets

Please see full Important Safety Information on pages 4-5 as well as the **Brief Summary of Patient Information.**

TREAT YOURSELF TO DOP-TELL-IT



This brochure can help you learn about:

- Treatment with Doptelet
- Important Safety Information
- Financial assistance
- Getting your prescription
- Questions to ask your doctor

READY? SCROLL TO LEARN MORE. 

→ HERE'S WHAT YOU SHOULD KNOW BEFORE STARTING DOPTELET...

What is DOPTELET® (avatrombopag)?

DOPTELET is a prescription medicine used to help treat low blood platelet counts in adults with chronic immune thrombocytopenia (ITP) when other treatments have not worked well enough. It is not known if DOPTELET is safe or works in children.

IMPORTANT SAFETY INFORMATION

Who should not receive DOPTELET?

You should not receive DOPTELET if you have ever had a blood clot, are pregnant, plan to become pregnant or plan to breastfeed. It is not known if DOPTELET passes into breast milk or if DOPTELET may have unintended side effects for your unborn baby. Do not breastfeed during your treatment with DOPTELET and for at least 2 weeks after the last dose.

oYou Should Know:

- Signs and symptoms of a blood clot could include:
 - Swelling, pain, or tenderness in your legs
 - Shortness of breath
 - Chest pain
 - Fast heartbeat
 - Stomach pain or tenderness

You should call your healthcare provider or get medical help right away if you have any of the signs or symptoms of a blood clot after getting DOPTELET. They can be life threatening or cause death.

Before taking DOPTELET, you should tell your healthcare provider about all your medical conditions and medicines including vitamins, supplements, and herbal remedies.

What are the possible side effects of DOPTELET?

For patients with chronic ITP, the most common side effects are headache, fatigue, bruising, nosebleeds, upper respiratory tract infection, joint pain, bleeding gums, purple or red spots on your skin (petechiae), and runny nose.

You Should Know: These are not all of the possible side effects for DOPTELET. For more information, ask your healthcare provider or review the Prescribing Information at <https://www.doptelet.com/doptelet.pdf>.

If you suspect that you have experienced a side effect, call your healthcare provider. You may also report them to the US Food and Drug Administration (FDA) at 1-800-FDA-1088.

WHAT IS CHRONIC ITP?

Having immune thrombocytopenia (ITP) means there's a shortage of platelets in your blood.

When you have ITP, it means your platelet count needs a lift. If you've had low platelet counts for over a year, you may have what's called long-term or "chronic" ITP.



Please see full Important Safety Information on pages 4-5 as well as the [Brief Summary of Patient Information](#).

Here are a few more things to know about chronic ITP:

- 1 Platelets help stop and prevent bleeding. Having ITP means your own immune system is attacking your platelets, which leaves platelet counts low and increases your risk of excessive bleeding or bruising.
- 2 Your body has a natural signal that tells it to make enough platelets for you—it's a hormone called thrombopoietin (TPO). Doptelet acts alongside your natural TPO to help lift your platelet count.
- 3 The goal of chronic ITP treatment should be to reach a stable platelet count, so that you have enough platelets to reduce the risk of bruising and excessive bleeding. Keeping platelet levels at 50,000 platelets per microliter or more can help reduce this risk.



As you think about your treatment options for your chronic ITP, it's important to work with your doctor to set platelet count goals.

Doptelet
(avatrombopag) tablets

DOPTELET ANYTIME, ANYWHERE, WITH ANY FOOD


Unlike some other treatments, Doptelet can be taken with any kind of food to lift your platelet count no matter where you are—based on your chosen schedule!



→ **FRIENDLY REMINDER:** Food's a must with Doptelet and it's important to take your pill at the same time every day.



**Doptelet
is not a
steroid**



**No weekly
treatment
injections**



**No limits on
iron-rich foods
or dairy**



You and your doctor should work together to decide what dose of Doptelet is right for you and how often your platelet counts should be monitored, based on all other medications you take and your unique platelet count.

Please see full Important Safety Information on pages 4-5 as well as the **Brief Summary of Patient Information**.

Doptelet
(avatrombopag) tablets


DOPTELET TO LIFT

In a 6-month study that compared Doptelet with placebo, Doptelet was shown to:

50 Raise platelet counts to 50K per microliter or higher...

12 for an average of 12 total weeks...

8 and lifted platelets in as few as 8 days!



Doptelet may cause serious side effects, including blood clots, which may be an increased risk for people with chronic ITP and certain blood-clotting conditions. Tell your doctor right away if you have signs and symptoms of blood clots including swelling, pain, or tenderness in your legs, shortness of breath, chest pain, fast heartbeat, or stomach pain or tenderness.

Please see full Important Safety Information on pages 4-5 as well as the [Brief Summary of Patient Information](#).

Adult patients in the clinical trial took Doptelet for 6 months.

In as few as 8 days, 66% of patients on Doptelet reached a platelet count of 50K platelets per microliter or higher.



Please see full Important Safety Information on pages 4-5 as well as the [Brief Summary of Patient Information](#).

Doptelet
(avatrombopag) tablets



THE DOPTELET ROUTINE

Doptelet is a 20-mg pill you take with food. Like other treatments, you should take it as prescribed. If you miss a dose, don't take 2 doses at the same time to catch up. Just take the next dose as soon as you remember and then take the next dose on your regular schedule.

Patients on Doptelet require platelet count monitoring:

- once a week when you first start treatment
- once a month after reaching your platelet count target

Please see full Important Safety Information on pages 4-5 as well as the **Brief Summary of Patient Information**.

What to expect once you've been prescribed Doptelet

Your prescription is sent to a pharmacy and insurance coverage is confirmed



Your prescription will either be filled at a specialty or in-office pharmacy—based on your insurance provider—and you'll be informed about any out-of-pocket costs.

Your pharmacy will call you



It's important to answer your pharmacy's call to confirm your prescription details. If you do happen to miss it, call them back as soon as you can! Doptelet can't be delivered until you've spoken to a pharmacist to confirm your order.

Your doctor and pharmacy will set up future refills



Keep in touch with your doctor and pharmacy about your Doptelet prescription, so you never run out.

Note: your pharmacy will call you to confirm each delivery.



BE SURE TO ANSWER THE CALL

Your pharmacy may call from an 800 number—be sure to answer to avoid delaying the delivery of your medicine.



Let us help connect you

Doptelet Connect is designed as a single point of contact to help you understand your insurance coverage when your healthcare professional has prescribed Doptelet. Doptelet Connect can help answer questions about your insurance coverage and provide information about financial assistance options.

Doptelet Connect provides:

PATIENTS/CAREGIVERS



Evaluation of a patient's insurance coverage



Financial assistance options



Patient Assistance Program*

*For eligible patients.

LEARN MORE

ARE YOU ELIGIBLE TO PAY AS LITTLE AS \$0?

For additional assistance, call Doptelet Connect at 1-833-368-2663, Monday-Friday 8 AM-8 PM ET.

Upon clicking will drive users to <https://doptelet.com/financial-assistance-and-support/financial-assistance/>

SAVING ON YOUR TREATMENT CAN BE EASIER THAN YOU THINK.

There are two great ways to save on Doptelet.

\$0 COPAY PROGRAM

Eligible patients may get their treatment for as little as \$0

FREE TRIAL OFFER

Get Doptelet free for 15 days, restrictions apply.

LEARN MORE

CLICK HERE TO VIEW ELIGIBILITY

Or go to **DopteletAccess.com** and find out more.

Upon clicking will drive users to <https://doptelet.com/financial-assistance-and-support/financial-assistance/>



KEEP YOUR ITP JOURNEY ON TRACK

my florio ITP™ tracks your platelet count progress,
bruising events, appointments and treatments,
and more—plus it's free!

**Get the app and make
tracking a regular habit.**



In partnership with

Platelet Disorder Support Association

Doptelet
(avatrombopag) tablets



Doptelet is a registered trademark of AkaRx, Inc., a Sobi company.

Sobi is a trademark of Swedish Orphan Biovitrum AB (publ)

Doptelet Connect is a trademark of AkaRx, Inc.

© 2024 Sobi, Inc. – All rights reserved.

PP-15929 v3.0 05/24 Printed in the USA.



my florio ITP™ is developed and operated by Florio GmbH.